

#### **An Education Equipment Company**

#### **DIGITAL LECTERN ADL-01**





Space for Internal Accessories






Screen Tilt Control



Motorised Screen Tilt Mechanism





Multimedia Controller



Gooseneck Mic with Vol. Control & USB

Digital podium offers lockable console with Multimedia controller, Power management, motorised tilted 22 inch Capacitive touch / EMR touch display, Goosneck mic, wireless mic, wired or witless keyboard, Visualise, Amplifier- Speaker, wireless mic with handheld mic and lapel mic, external out put port, 19 inch Rack for Pc and other Av hardware



#### **An Education Equipment Company**

#### **SPECIFICATION**

CHASISS				
Type of Chassis / Frame		Metallic		
Mount Type		Floor Mounted With Wheels		
Material of Chassis		Mild Steel		
Thickness of Enclosure (mm)		1.5 mm (Min) Stainless Steel Sheet		
Screwless Chasis		Yes		
Adequate Space For Additional Devices		Yes		
Drawers / Cabinets		Yes		
If yes, Lockable		Yes		
DISPLAY				
Screen Size	21.5"			
Maximum Resolution	(Full HD) 1920 x 1080@60 HZ			
Aspect Ratio	16.9			
Response Time	8 ms			
Colour Supported	16.7 Million			
Brightness	250 cd / M2			
Backlight	LED			
Viewing Angles	178° Horizontal 178° Vertical			
Panel Type	VA (Vertical Alignment)			
Stand	Tilt (10°~ 90°)			
Speakers	2 x 1 W			
Ports & Connector	VGA HDMI R - IN 1xUSB 2.0 up Stream 2xUSB 2.0 Down Stream			

**BIS REGISTRATION NUMBER UNDER CRS FOR DISPLAY R-41186368** 



### **An Education Equipment Company**

SYSTEM DETAILS		
Processor Make	Intel	
Processor Series	Intel Core i3,i5,i7	
Processor Configuration	Generation 6/7/8/9/10/11/12	
Operating System (pre-Loaded)	Windows 10	
Antivirus With One Year Liscense	Available	
RAM Memory (GB)	4	
Storage / HDD (GB)	1024	
Built- In Standard Keyboard	Available	
Built- In Mouse	Available	
BUILT-IN DEVICES		
Optical Disk Drive Compatibility	Yes	
Inbuilt Speakers	Available	
Numbers of Speakers	2	
Wattage of Each Speaker (Watt)	50	
Central Control Panel	Available	
Gooseneck Mic	1	
Wireless Mic	1	
Handheld Mic	1	
Wireless Reciever	1	
Amplifier	Available	
Amplifier Wattage (Watt)	50	



## **An Education Equipment Company**

CONSOLE PANEL PORTS		
USB 2	2	
USB 3	0	
VGA Ports	1	
HDMI Ports	1	
Viedo Pin	1	
RJ 45	1	
Power Backup Min 30 Minutes	UPS Supplied	
Cooling System	Available	
GENERIC INFORMATION		
Maximum Power Consumption (watt)	120	
Operating Temperature Range (Degree C)	May -45	
Operating Humidity (RH) (%)	40 Deg at 90% RH non condensing	
Storage Humidity (RH) (%)	85	
Overall Dimension (cm x cm x cm)	730, 670, 1260	
Weight (Kg)	95	
BIS Registration Number For Rest of the Components	NA	
On Site OEM Warranty In Years	3	
Storage Temperature (Degree C)	-10 to 55	



### **An Education Equipment Company**

VISUALISER		
Technology	CMOS	
Resolution (pixels)	8 MP	
Video Frame Rates (FPS)	30	
Optical Zoom	22x	
Shooting Area (mm)	A4	
Focussing Arrangement	Auto & Manual Both	
Layout	Landscape & Portrait Both	
Lens Focal Length (mm)	1.3	
Digital Magnification	12 x	
Image Memory (Number Of Images)	240	
Image RotTion Facility (Degree C)	180	
Light Source	White Led	
Life of Lamp Used (years)	1	
USB Port (Number)	1	
VGA Port (Number)	2	
DVI-1 Port (Number)	0	
HDMI Port (Number)	2	
RS 232 Port (Number)	1	
Network Connectivity	No	
Full Function Remote Control	Yes	
Light Box	Yes	
Accessories	Yes	
Operating Temperature Range (Degree C)	0-50	
Operating Humidity	0-90	
Dimension (mm)	410*370*555	
Weight	5.5 Kg	